


Building with conscience.

## StoTherm® ci XPS System Components



Detail No.: EPD 53s.00 Date: December 2019



## Notes:

- A. Glass mat gypsum sheathing in compliance with ASTM C1177, exterior grade and Exposure 1 wood based sheathing, or cementitious sheathing in compliance with ASTM C1325.
- B. Components not identified as Sto are furnished by other manufacturers and are not necessarily installed by trades who install the Sto products. Refer to project specific contract documents.
- C. XPS Insulation Options: Owens Corning Foamular® CI-C Extruded Polystyrene or Dow STYROFOAM™ Panel Core 20 Extruded Polystyrene.
- D. There are no substitutions for the Sto products listed below.

## **Sto Products:**

- 1. Sto Joint Treatment:
  - a. Sto Gold Coat and StoGuard® Fabric
  - b. Sto RapidGuard®
- 2. StoGuard®Air and Moisture Barrier options:
  - a. Sto Gold Coat® (vapor permeable)
- 3. Sto TurboStick™
- XPS Insulation Board:
  Owens Corning Foamular
  CI-C Extruded Polystyrene or
  or Dow STYROFOAM™
  Panel Core 20 Extruded
  Polystyrene.
- 5. Sto Mesh
- 6. Sto BTS Plus Base Coat
- 7. Sto Finish Components:
  - a. Stolit® & Stolit®Dark Colors: 1.0, 1.5, R1.5 and Freeform
  - b. Stolit<sup>®</sup>Lotusan & Stolit<sup>®</sup> Lotusan Dark Colors: 1.0, 1.5, R1.5 and Freeform

## **ATTENTION**

Sto products are intended for use by qualified professional contractors, not consumers, as a component of a larger construction assembly as specified by a qualified design professional, general contractor or builder. They should be installed in accordance with those specifications and Sto's instructions. Sto Corp. disclaims all, and assumes no, liability for on-site inspections, for its products applied improperly, or by unqualified persons or entities, or as part of an improperly designed or constructed building, for the nonperformance of adjacent building components or assemblies, of for other construction activities beyond Sto's control. Improper use of Sto products or use as part of an improperly designed or constructed larger assembly or building may result in serious damage to Sto products, and to the structure of the building or its components.

STO CORP. DISCLAIMS ALL WARRANTIES EXPRESSED OR IMPLIED EXCEPT FOR EXPLICIT LIMITED WRITTEN WARRANTIES ISSUED TO AND ACCEPTED BY BUILDING OWNERS IN ACCORDANCE WITH STO'S WARRANTY PROGRAMS WHICH ARE SUBJECT TO CHANGE FROM TIME TO TIME. For the fullest, most current information on proper application, clean-up, mixing and other specifications and warranties, cautions and disclaimers, please refer to the Sto Corp. website, www.stocorp.com.

www.stocorp.com

